


#### Micron Laser Technology

# Subcontract Laser Services and Product Manufacturing

AS9100C / ISO9001:2008 Certified

#### **Experience and Capabilities**

- 18,000 sq. ft. facility with 20 laser drilling systems solely dedicated to microvia drilling, laser material processing, micromachining, prototyping, and manufacturing solutions.
- 18+ years of laser process engineering for the PCB, Aerospace,
   Defense, and Medical industries in following applications:



▶ 10 engineers/technologists skilled in laser processing of just about every known dielectric and reinforcement, metal, and plastic.

☐ Selective Coatings/Film Removal

- Hybrid laser systems that incorporate up to 4 laser heads per system in both UV and IR wavelengths delivered in both fixed-beam (CNC), fiber, and galvos.
- Customized laser software that provides more energy control than standard OEM laser systems on the market capable of tolerances below 10um and feature sizes below 20um.



Prototypes

### Parts Manufacturing


Turn a machining challenge into a manufacturing advantage. Laser advantages over traditional machining include:

- Non-contact stress
- Smaller Feature Sizes
- Minimal Heat Affect
- No tooling costs
- Leverage Small Lot Sizes
- Reduced Material Waste
- Closer Tolerances
- No Dies/Tooling Wear
- Reduced Finishing Steps



Metals: UV, CO<sub>2</sub>, and Fiber lasers are ideal for cutting perfect parts from many types of sheet metal. Laser cutting greatly simplifies the design and manufacturing process to produces intricate detail and very sharp corners.

Cobalt Hastelloy Nickel Brass Nitinol Gold Titanium Platinum Carbon Steel Stainless Steel **Plastics:** Laser machining thermoset plastics and thermoplastics are matched in edge quality, speed, flexibility, and low surface stress. Wavelength selection and power control produce large aspect ratios of 10 to 1 (feature size to material thickness) and reduced heat affected zones (melt and discoloration.



#### **Thermoset and Thermoplastic**

Polyimide Cirlex
FR4/G10 Rubber Based
PEEK Acrylic

Polycarbonate ABS\*

Polypropylene


Stencils and Prototypes





Stainless and Polyimide Stencil Applications:

- ☐ Flux
- ☐ Solder Paste
- □ Rework
- ☐ Photomasks /

**Shadow Masks** 









Mylar

# Part Marking and Engraving



Aluminum

- ☐ Annealed Surface Marks
- ☐ Serialization
- ☐ Semi and Mil Standards
- ☐ Engraving or Scribing



PFA

**Plastic Markings** 







**Stainless** 









Delrin




#### Selective Material Removal



Parylene Ablation




#### **PCB Circuit Rework**




#### Laser circuit repair can:

- Severing a trace on the top layer to isolate a pad.
- Inner layer exposure to allow connectivity or repair.
- Design changes eliminating connections and isolating nets.
- Ability to rework bare boards and loaded boards



#### MISCELLANEOUS PCB REWORK









FEP Removal in Cavity






Kapton Removal



# **Control Depth Skiving**




# Quality



- ITAR Registered and Compliant.
- AS9100C / ISO9001:2008 Certified through QMI-SAI Global.
- AQL Level Inspection Plan for many applications utilizing Micro-Vu's Excel Multi-sensor Measuring Centers with micron accuracy.
- Multi-level quality sign-off per lot including programming, setup, first article, lot run, and final inspection.
- Calibration and maintenance programs.
- Managed, off-site backup of all data.









#### **Sales Contacts**

**Aerospace Applications:** Jordan Puentes, ext. 206

jordanp@micronlaser.com

-- and

Michael Kyslinger, ext. 208 michaelk@micronlaser.com



sergeyv@micronlaser.com

**PCB Applications:** Troy Dowdy, ext. 201

troyd@micronlaser.com

**General Enquiries:** Junior Martinez, ext. 200

jmartinez@micronlaser.com



#### **Main Phone Numbers:**

Phone: (503) 439-9000

Fax: (503) 439-3365 www.micronlaser.com

Location:

22750 NW Wagon Way

Hillsboro, OR 97124